

Terrazzo

RECYCLED COTTO

Made in a single
homogenous layer
of granulates
of recycled cotton
and white cement.




CEMENTITIUS
Terrazzo
RECYCLED COTTO

Founded in 2001, **Veniston s.r.l.** is one of the leading Italian producers of Terrazzo Tiles, in single layer format, calibrated in size mm. 400x400x18, 298x600x22 and 600x600x22. Veniston company is focused on growing its business and creating value by developing high quality products and services with low environmental impact. In pursuing its objectives, Veniston strives to combine financial profitability and social responsibility.

Veniston aims to:

- a greater focus on international projects;
- the technological upgrade of production sites and machinery.

The Manetti family has been producing terracotta for eight generations. In the **Manetti Gusmano & figli Furnaces**, located at the Ferrone, in the territory of Impruneta, Terracotta flooring and cladding tiles as well as artisanal Terracotta elements are made following the traditions of Impruneta. The experience acquired in three centuries of activity combined with the uniqueness of clay translates into a material with unique characteristics. Galestro clay, present in the quarries of the Fornace, represents an exclusive peculiarity of the Impruneta area and gives the Terracotte special characteristics in terms of colour, resistance, strength and porosity.







Terrazzo

DIMENSIONS

The ancient tradition of “**COCCIO PESTO**” (crushed terracotta), which can be found in the houses of Pompei and many Palaeo-Christian basilicas, is adopted with exceptionally terracotta TILES measuring 400x400x18mm and 600x600x22mm.

The traditional limitations of dimension are nothing but a memory, while an unknown world for terracotta is opening, a world of raised floors in reinforced Cottostone, cavity walls and all the potential uses of stone known to this day.

Available in **three different finishing** with the best quality Cotto, crushed and bound with high resistance cement, this material is an absolute novelty to the world and represents Veniston and Manetti challenge to conquer to the third millennium.











Terrazzo

RESEARCH
FOR SUSTAINABILITY

Research has always been a core part of who we are. Ever since the Company was founded, we have been researching new products that use recycled or waste materials, showing a sensitivity that continues today in recycled COTTO - TERRAZZO - and our vision for an ever-greener future.









Terrazzo

CARE AND MAINTENANCE SHEET

Veniston, single layer Terrazzo tile: produced in accordance with International Standard UNI EN 13748-1 (4.2.4.3 Class I). Full body, Terrazzo tile, pressed, calibrated, and surface finished. Made in a single homogenous layer of granulates of “reused COTTO MANETTI 0-12mm” according to EN 12620:2002+A1:2008, embedded in a paste of white cement, water and Bayer oxide pigments.

ESSENTIAL CHARACTERISTIC	PERFORMANCE
Reaction to fire	Class A1, without testing (see decision 96/603/EC, as amended)
Water absorption	< 8%
Breaking strength	>5Mpa
Breaking load	class I°
Dimensional deviations, edges	+/- 0,3%
Dimensional deviations, thickness	+/- 2mm
Resistance to deep abrasion (WA test)	No individual test result exceeds 25mm

OUR TERRAZZO TILES
ARE TREATED WITH:



surface
care
solutions

Veniston and Manetti
recommend the use
of FILA Cleaning Products
to maintain the appearance
and characteristics
of the material over time.





COTTO TILE



Via A.Volta, 24
37023 Grezzana (VR) Italy
Ph +39 045 908811
www.veniston.it